

**Client**  
**Gurugram**  
Pathkind Diagnostics Pvt. Ltd.  
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

**Processed By**  
**Pathkind Diagnostics Pvt. Ltd.**  
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

<b>Name</b> : Mr. BC360	<b>Billing Date</b> : 07/07/2023 12:14:06
<b>Age</b> : 35 Yrs	<b>Sample Collected on</b> : 10/07/2023 10:01:31
<b>Sex</b> : Male	<b>Sample Received on</b> : 10/07/2023 11:02:13
<b>P. ID No.</b> : P1000100012466	<b>Report Released on</b> : 17/07/2023 18:37:15
<b>Accession No</b> : 10002304522	<b>Barcode No.</b> : 10002304522-01
<b>Referring Doctor</b> : Self	<b>Ref no.</b> :
<b>Referred By</b> :	

**Report Status - Final**

Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

**CLINICAL PATHOLOGY**

<b># Porphyrins, 24 Hrs Urine</b> <i>Sample: 24Hrs. Urine</i>	110	<150	µg/24hrs
------------------------------------------------------------------	-----	------	----------

**Porphyrians, 24 Hrs Urine**

This assay demonstrates increased levels of Total Porphyrins in the urine in cases of Congenital erythropoietic porphyria, Porphyria cutanea tarda & Mixed porphyria. All patients presenting with photosensitive dermatosis should be tested for Porphyrins. To differentiate Porphyrias and Lead intoxication, the determination of Porphyrins is usually combined with Urinary 5-ALA and Porphobilinogen (PBG). Drugs that may precipitate Porphyria are Antipyretics, Barbiturates, Phenylhydrazine and Sulphonamides.

\*\* End of Report\*\*



**Dr. Aarti Khanna Nagpal**  
DNB (Pathology)  
Senior Consultant

