

Client
Gurugram
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Processed By
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Name : Mr. BC452	Billing Date : 07/07/2023 12:31:12
Age : 35 Yrs	Sample Collected on : 10/07/2023 10:01:31
Sex : Male	Sample Received on : 10/07/2023 11:02:13
P. ID No. : P1000100012922	Report Released on : 15/07/2023 10:38:26
Accession No : 10002304978	Barcode No. : 10002304978-01
Referring Doctor : Self	
Referred By :	Ref no. :

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

BIOCHEMISTRY

Allergy Flexi Panel(Any 7 Allergens)

Sample: Serum

Test Name	Result	Reference Range	Unit
Allergy House Dust Mite - dermatophagoides pteronyssinus	0.06	<0.10 Negative >0.10 Positive	kUA/L
Allergy House Dust Mite- dermatophagoides farinae	0.05	<0.10 Negative >0.10 Positive	kUA/L
Allergy Milk	0.04	<0.10 Negative >0.10 Positive	kUA/L
Allergy Egg	0.03	<0.10 Negative >0.10 Positive	kUA/L
Allergy Groundnut	0.06	<0.10 Negative >0.10 Positive	kUA/L
Allergy tomato	0.04	<0.10 Negative >0.10 Positive	kUA/L
Allergy shirmp	0.06	<0.10 Negative >0.10 Positive	kUA/L

Allergy Flexi Panel(Any 7 Allergens)

Level of allergen specific antibody	Result
<0.10 kUA/L	Undetectable
0.10-0.50 kUA/L	Very low
0.50-2.00 kUA/L	Low, symptoms are unlikely

10002304978 Mr. BC452



Client
Gurugram
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Processed By
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Name : Mr. BC452	Billing Date : 07/07/2023 12:31:12
Age : 35 Yrs	Sample Collected on : 10/07/2023 10:01:31
Sex : Male	Sample Received on : 10/07/2023 11:02:13
P. ID No. : P1000100012922	Report Released on : 15/07/2023 10:38:26
Accession No : 10002304978	Barcode No. : 10002304978-01
Referring Doctor : Self	
Referred By :	Ref no. :

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
2.00-15.00 kUA/L	Moderate, clinical symptoms often present		
15.00-50.00 kUA/L	High, Clinical symptoms always present		
50.00-100.00 kUA/L	Very High		

An allergy screening test is a test that is used to determine whether or not a person sensitized to a particular allergen. There are many different types of allergies, and each type of allergy can be tested for with a different type of allergy screening test. The Phadiatop test is an allergy screening test with excellent sensitivity and specificity using ImmunoCAP technology. Normal IgE levels do not necessarily exclude the possibility of allergy, in these cases samples have been taken before the organism was able to produce antibodies against the antigen or test conducted after a long time of sensitization, hence IgE levels may be normal. Sensitized individuals show elevated levels of specific allergens. Generally, higher the kUA/L value, more exposed the patient is to the allergen. However the levels do not correlate with the severity of symptoms. All results to be correlated with individual case history.

** End of Report **



Dr. Aarti Khanna Nagpal
DNB (Pathology)
Senior Consultant

