

Client

Gurugram

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Processed By

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Name : Mr. BC65 : 35 Yrs Age

Sex : Male P. ID No. : P1000100012541

: 10002304597 Accession No

Referring Doctor: Self

Referred By

Billing Date Sample Collected on 07/07/202312:16:24 10/07/2023 10:01:31

Sample Received on

10/07/2023 11:02:13

Report Released on

14/07/2023 18:41:46

Barcode No.

10002304597-01

Ref no.

Report Status - Final

Test Name

Result

Biological Ref. Interval

Unit

kUA/L

BIOCHEMISTRY

Allergy: Acacia Babool (Acacia Longifolia)

Sample: Serum

Method: ImmunoCAP (Fluoro Enzymatic immuno assay)

0.08 Negative: < 0.1 Positive: >= 0.1

Allergy: Acacia Babool

Allergy specific IgE interpretation

LEVEL OF ALLERGEN	SPECIFIC ANTIBODY	EXPLANATION
<0.10 kUA/l	Undetectable	No Specific Antibody Detected.
0.10 – 0.50 kUA/l	Very low	Very weak antibody detection, often no clinical symptoms with an existing sensitization.
0.50 – 2.00 kUA/l	Low	Weak antibody detection, existing sensitization, often with clinical symptoms in upper levels.
2.00 – 15.00 kUA/l	Moderate	Definite antibody detection, clinical symptoms are often present.
15.00 – 50.00 kUA/l	High	Strong antibody detection, almost always with existing symptoms.
50.00 – 100.00 kUA/l	Very High	Very high antibody titre.
>100 kUA/l	Very High	Very high antibody titre.

COMMENTS / INTERPRETATION:

- Allergy panels / Allergen specific IgE includes only common causative allergens and does not include all possible allergens.
- In case of food allergy specific IgE antibodies may be undetectable inspite of a convincing clinical history because these antibodies may be directed towards allergens that are revealed or altered during industrial food processing, cooking or digestion and therefore do not exists in the original food for which the patient is tested.
- Normal IgE levels do not necessarily exclude the possibility of allergy because certain allergies can be non IgE mediated.
- Very low levels of allergens specific IgE antibodies should be evaluated with caution when total IgE values exceed 100 kUA/L.
- All results should be interpreted in relation to the individual case history.

Page No: 1 of 2





Client

Gurugram

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Processed By

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Name : Mr. BC65 : 35 Yrs Age

Sex : Male

P. ID No. : P1000100012541 : 10002304597 **Accession No**

Referring Doctor: Self

Referred By

Billing Date

07/07/202312:16:24 10/07/2023 10:01:31

Sample Collected on Sample Received on

10/07/2023 11:02:13

Report Released on

14/07/2023 18:41:46

Barcode No.

10002304597-01

Ref no.

Report Status - Final

Test Name

Result

Biological Ref. Interval

Unit

** End of Report**

Dr. Aarti Khanna Nagpal

DNB (Pathology) Senior Consultant

Page No: 2 of 2

जांच सही तो इलाज सही



NATIONAL REFERENCE LAB