

Client

Gurugram

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Processed By Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Name	: Mr. CL138		Billing Date	:	07/07/202312:18:18
Age	: 35 Yrs		Sample Collected on	:	10/07/2023 10:01:31
Sex	: Male		Sample Received on	:	10/07/2023 11:02:13
P. ID No.	: P1000100012620		Report Released on	:	10/07/2023 15:38:25
Accession No	: 10002304676		Barcode No.	:	10002304676
Referring Docto	or : Self				
Referred By	:		Ref no.	:	
		Report Status - Final			
Test Name		Result	Biological Ref. Interval		Unit
		BIOCHEMISTRY			
# Cyclosporine		450.00	Trough Level (C0): 100 - 400		

Sample: Whole Blood EDTA

Trough Level (C0): 100 - 400 r Renal transplant (C2): 800 - 1700 Liver Transplant (C2): 600 - 1000

Cyclosporine

LCMS is considered the most sensitive and specific technology for Therapeutic drug monitoring (TDM). It is commonly used to maintain drug levels within the concentration range in which the drug exerts its clinical effect with minimal adverse re Cyclosporine is a lipophilic polypeptide used to prevent rejection after solid organ transplantation; it suppresses T-cell activation inhibiting calcineurin to decrease interleukin-2 (IL-2) production. There is substantial interpatient variability in absorption, half-life, and other pharmacokinetic parameters. Preferred therapeutic ranges may vary by transplant type and protocols used. Therapeutic ranges are based on specimens drawn at trough (CO) (ie, immediately before the next scheduled dose). Blood drawn at other times will yield higher results. This test may also be used to analyze cyclosporine levels 2 hours (C2) after dosing; trough therapeutic ranges (C0) do not apply to post dose specimens. Target steady-state trough concentrations vary depending on the type of transplant immunosuppression, clinical/institutional protocols, and time post-transplant. Results should be interpreted in conjunction with thi clinical information and any physical signs/symptoms of rejection/toxicity.

** End of Report**

D. lyhash

Dr. Daipayan Ghosh Scientist

Dr. Aarti Khanna Nagpal DNB (Pathology) Senior Consultant

The Test/s marked with (#) is are not accredited by NABL NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD. Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram Care@pathkindlabs.com | @ www.pathkindlabs.com Customer Care: 75000-75111



Page No: 1 of 1

जांच सही तो इलाज सही (