

Client
Gurugram
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Processed By
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Name	: Mr. CO01	Billing Date	: 07/07/2023 12:20:26
Age	: 35 Yrs	Sample Collected on	: 10/07/2023 10:01:31
Sex	: Male	Sample Received on	: 10/07/2023 11:02:13
P. ID No.	: P1000100012711	Report Released on	: 14/07/2023 15:28:31
Accession No	: 10002304767	Barcode No.	: 10002304767-01
Referring Doctor	: Self	Ref no.	:
Referred By	:		

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

HAEMATOLOGY

Activated Partial Thromboplastin Time (APTT)

Method: Electromechanical clot detection

APTT	30.2	22.5 - 34.4	seconds
Sample: Citrate Plasma			
# Control	28.4		Sec
Sample: Citrate Plasma			

Activated Partial Thromboplastin Time

Clinical Significance :

Prolongation of the activated partial thromboplastin time (APTT) is seen in case of deficiency of one or more coagulation factors, which may be acquired or congenital in origin, due to the presence of a coagulation inhibitor such as heparin, a lupus anticoagulant, a nonspecific inhibitor or a specific coagulation factor inhibitor, in cases of fibrinogen deficiency, liver disease, and vitamin K deficiency. Shortening of the APTT usually seen in case of increased factor VIII activity often seen in acute or chronic illness or inflammation.

** End of Report **



Dr. Aarti Khanna Nagpal
DNB (Pathology)
Senior Consultant

