

Client

Gurugram

Pathkind Diagnostics Pvt. Ltd. Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015 Processed By Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

| Name | : Mr. FC22 | | Billing Date | : | 07/07/202312:23:31 |
|-----------------|------------------|-----------------------|--------------------------|---|---------------------|
| Age | : 15 Yrs | | Sample Collected on | : | 10/07/2023 10:01:31 |
| Sex | : Male | | Sample Received on | : | 10/07/2023 11:02:13 |
| P. ID No. | : P1000100012763 | | Report Released on | : | 18/07/2023 18:01:00 |
| Accession No | : 10002304819 | | Barcode No. | : | 10002304819-01 |
| Referring Docto | or : Self | | | | |
| Referred By | : | | Ref no. | : | |
| | | Report Status - Final | | | |
| Test Name | | Result | Biological Ref. Interval | | Unit |

HAEMATOLOGY

B-ALL MRD Panel Flow-cytometric Immunophenotyping findings:

Bone marrow aspirate sample sent for minimal residual disease (MRD) anlysis in a k/c/o AML is hemodiluted, however, it shows ~0.38% myeloid blasts which exhibit normal maturation pattern. They do not express any LAIP corresponding to the baseline immunophenotype.

Impression: AML MRD: NEGATIVE (<0.1%)

Antibodies used: CD45, CD34, CD38, CD71, CD19, CD13, CD33, CD15, CD117, HLA DR, CD64, CD14, CD16, CD123, CD7, CD4, CD5.

Comment: The samples was run on BC Navios 10 color flow cytometer as per the standardized international protocol.

FSC vs SSC was used to gate viable cells. CD45vs SSC gating strategy is used. Software used for analysis is woodlist version 3.1.3 and Kaluza 2.1.3

Note: Investigation should be interpreted understanding the limitation of the sample quality and various statistical parameters. An isolated laboratory report never forms a basis of any treatment decision. It should always be interpreted with the clinical course by the primary physician.

** End of Report**



NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD. Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram care@pathkindlabs.com | @ www.pathkindlabs.com Customer Care: 75000-75111



10002304819 Mr. FC22

Page No: 1 of 2

जांच सही तो इलाज सही

