

Client

Gurugram

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Processed By Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Name : Mrs. SE125 Billing Date 07/07/202312:34:02 : 27 Yrs Sample Collected on 10/07/2023 10:01:31 Age 10/07/2023 11:02:13 Sex : Female Sample Received on P. ID No. : P1000100013022 Report Released on 18/07/2023 18:55:35 : 10002305078 Barcode No. 10002305078-01 Accession No

Referring Doctor: Self

Referred By : Ref no. :

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit

<u>SEROLOGY</u>

Herpes Simplex Virus (HSV) 1 & 2 IgG Antibodies (Combined)

Sample: Serum Method: ECLIA **1.2 H** Negative: < 0.9 Equivocal: 0.9 - 1.1

Positive : > 1.1

Index

Herpes Simplex Virus (HSV) 1 & 2 lgG

Interpretation:

- 1. This assay is used for qualitative detection of specific IgG antibodies to Herpes Simplex virus (1+2) in serum.
- 2. Positive result indicates past infection with Herpes Simplex virus or administration of HSV immunoglobulins. Pregnant females with positive HSV specific IgG antibodies are considered to be immune and hence risk of transmission of infection to fetus is minimal.
- 3. Equivocal results should be re-tested in 10-14 days.
- 4. Negative result indicates person has not been exposed to Herpes Simplex virus in the past. Patients with negative results in suspected disease should be re-tested after 10-14 days. False negative results can be due to immunosuppression or due to low/undetectable level of IgG antibodies.
- 5. HSV serology cannot distinguish genital from nongenital infections.
- 6. The result should be interpreted in conjunction with clinical finding and other diagnostic tests.
- 7. The magnitude of the measured result is not indicative of the amount of antibody present.

** End of Report**

Dr. Rahul Behl

MD

Consultant Microbiology

Mrs. SE125

Page No: 1 of 1



