

Client

Gurugram

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Processed By

Pathkind Diagnostics Pvt. Ltd.

Plot No. 55-56, Udhyog Vihar Ph-IV, Gurugram - 122015

Name : Mrs. SE174 Billing Date 07/07/202312:35:14 : 26 Yrs Age Sample Collected on 10/07/2023 10:01:31 10/07/2023 11:02:13 Sex : Female Sample Received on P. ID No. : P1000100013067 Report Released on 19/07/2023 16:35:45 : 10002305123 Barcode No. Accession No 10002305123-01

Referring Doctor: Self

Referred By Ref no.

Report Status - Final

	<u> </u>			
Test Name	Result	Biological Ref. Interval	Unit	

SEROLOGY

Mycoplasma Pneumoniae IgM Antibodies 0.02

Sample: Serum

Equivocal: 9 - 11 Positive: > 11

Negative: < 9

NTU

Mycoplasma Pneumoniae IgM Antibodies

Interpretation

REMARKS	RESULT (INDEX)
Negative	<0.8
Equivocal	0.8-1.2
Positive	>1.2

Method: FIA

- 1. A single positive IgG result only indicates previous immunologic exposure
- 2. This assay should not be used as a screening procedure for the general population. Testing is recommended only if clinical evidence suggests the diagnosis of Mycoplasma pneumoniae associated disease
- 3. Continued presence or absence of antibodies cannot be used to determine success or failure of
- 4. Results should be interpreted in conjunction with clinical evaluation and other diagnostic procedures

Comments

Mycoplasma pneumoniae accounts for nearly 20% of all cases of pneumonia leading to Primary Atypical pneumonia. The disease has an insidious onset with fever and headache before the onset of respiratory symptoms. Symptomatic infections most commonly occur in children and young adults from 2-19 years. Negative IqG result does not rule out the presence of Mycoplasma pneumonia associated disease as the specimen may have been drawn before the appearance of detectable antibodies. If Mycoplasma infection is clinically indicated a second specimen should be submitted at least 14 days later.

** End of Report**

Dr. Saloni Garg

Consultant Microbiology NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD.

(t) Customer Care: 75000-75111

Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram 🖄 care@pathkindlabs.com | @ www.pathkindlabs.com

Page No: 1 of 1 जांच सही तो इलाज सही







