

Client
Gurugram
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Processed By
Pathkind Diagnostics Pvt. Ltd.
Plot No. 55-56, Udhog Vihar Ph-IV, Gurugram - 122015

Name : Mrs. SE274	Billing Date : 07/07/2023 12:37:15
Age : 40 Yrs	Sample Collected on : 10/07/2023 10:01:31
Sex : Female	Sample Received on : 10/07/2023 11:02:13
P. ID No. : P1000100013151	Report Released on : 18/07/2023 17:14:33
Accession No : 10002305207	Barcode No. : 10002305207-01
Referring Doctor : Self	
Referred By :	Ref no. :

Report Status - Final

Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

SEROLOGY

Covid-19 Neutralizing Antibodies	35 H	0 - 30	% inhibition
<i>Sample: Serum</i>			
<i>Method: ELISA</i>			

Covid-19 Neutralizing Antibodies


-
-

Result Interpretation:

	% Inhibition	Result	
Covid 19 Neutralizing Antibody	>= 30 %	Positive	SARS-CoV2 Neutralizing Antibody present
Covid 19 Neutralizing Antibody	< 30 %	Negative	SARS-CoV2 Neutralizing Antibody absent

- This test is intended for in vitro semi quantitative detection of neutralizing antibodies against SARS-CoV 2 in human serum/plasma specimens only.
- The test detects levels of IgG Antibodies against SARS CoV 2 that prevent interaction between Viral Spike glycoprotein (RBD) and cell surface receptor angiotensin converting enzyme-2 (ACE2)
- The test helps evaluate seroprevalence in the community and identify plasma donors. The test cannot be used for the diagnosis of SARS CoV-2 infection.
- A positive result highlights protective antibodies have developed and past exposure to SARS CoV -2 is confirmed. A negative test result indicates that past exposure not confirmed / antibodies not developed or titers of neutralizing antibodies is below detection level of the kit.

** End of Report **



Dr. Rahul Behl
MD
Consultant Microbiology

10002305207 Mrs. SE274

